

1.4301 Flach v. Band gemäß DIN 1017, HL: ca. 4 m		
Abmessung mm		kg/m
15 x 3	*	0,360
15 x 5	*	0,589
20 x 3	*	0,471
20 x 4	*	0,630
20 x 5	*	0,790
20 x 6	*	0,942
20 x 8	*	1,260
20 x 10	*	1,570
20 x 5	*	0,980
25 x 5	*	1,010
30 x 3	*	0,707
30 x 4	*	0,940
30 x 5	*	1,180
30 x 6	*	1,410
30 x 8	*	1,880
30 x 10	*	2,360
35 x 5	*	1,370
40 x 3	*	0,940
40 x 4	*	1,260
40 x 5	*	1,570
40 x 6	*	1,880
40 x 8	*	2,510
40 x 10	*	3,140
50 x 3	*	1,180
50 x 4	*	1,570
50 x 5	*	1,960
50 x 6	*	2,360
50 x 8	*	3,140
50 x 10	*	3,930
60 x 5	*	2,360

1.4301 Flach v. Band gemäß DIN 1017, HL: ca. 4 m		
Abmessung mm		kg/m
60 x 6	*	2,850
60 x 8	*	3,770
60 x 10	*	4,710
80 x 5	*	3,140
80 x 6	*	3,770
80 x 8	*	5,020
80 x 10	*	6,280
80 x 12	*	7,540
100 x 5	*	3,930
100 x 6	*	4,710
100 x 8	*	6,280
100 x 10	*	7,850
120 x 10	*	9,420
150 x 10	*	11,770
200 x 10	*	15,700

Lagerabmessungen sind mit einem * gekennzeichnet.

1.4301 Flach v. Band,
gemäß DIN 1017, allseitig geschl. K-240
einzeln in Folie verpackt, HL: 3-5 m

Abmessung mm	kg/m
20 x 4 *	0,640
20 x 5 *	0,790
20 x 8 *	1,300
25 x 5 *	0,980
20 x 10 gew. *	1,570
30 x 5 *	1,220
30 x 6 *	1,410
30 x 8 *	1,880
30 x 10 *	2,430
40 x 5 *	1,570
40 x 6 *	1,880
40 x 8 *	2,510
40 x 10 *	3,140
40 x 12 gew. *	3,770
50 x 5 *	1,960
50 x 6 *	2,360
50 x 8 *	3,140
50 x 10 *	3,930
50 x 12 gew. *	4,710
60 x 5 *	2,360
60 x 6 *	2,830
60 x 8 *	3,770
60 x 10 *	4,710
80 x 5 *	5,020
80 x 8 *	5,020
80 x 10 *	6,280
100 x 5 *	3,930
100 x 8 *	6,280
100 x 10 *	7,850
120 x 10 *	9,420

1.4301 Flach v. Band,
gemäß DIN 1017, allseitig
geschl. K-240
einzeln in Folie verpackt,
HL: 3-5 m

Abmessung mm	kg/m
150 x 10 *	11,770
200 x 10 *	15,700

Vierkantstahl
blankgezogen nach
DIN 178, HL: 3 m

Abmessung mm		kg/m
8	*	0,500
10	*	0,785
12	*	1,130
15	*	1,770
20	*	3,140

**1.4301 Winkel
gemäß DIN 1028, HL: 6 m**

Abmessung mm		kg/m
20 x 20 x 3	*	0,880
25 x 25 x 3	*	1,120
30 x 30 x 3	*	1,360
30 x 30 x 4	*	1,780
35 x 35 x 4	*	2,100
40 x 40 x 4	*	2,420
40 x 40 x 5	*	2,970
45 x 45 x 5	*	3,340
50 x 50 x 5	*	3,770
60 x 60 x 6	*	5,420
70 x 70 x 7	*	7,700
80 x 80 x 8	*	9,660
100 x 100 x 10	*	15,100

**1.4301 Winkel, alls. geschl. K-240, einzeln
in Folie verpackt, gemäß DIN 1028, HL: 6 m**

Abmessung mm		kg/m
30 x 30 x 3 *		1,360
40 x 40 x 4 *		2,420

**1.4301 Rundstahl
blank gemäß DIN 671, HL: 3 m**

Abmessung mm		kg/m
2 *		0,026
3 *		0,057
4 *		0,099
5 *		0,154
6 *		0,222
8 *		0,400
HL: 6 m 8 *		0,400
10 *		0,620
HL: 6 m 10 *		0,620
12 *		0,890
HL: 6 m 12 *		0,890
14 *		1,210
HL: 6 m 14 *		1,210
15 *		1,387
16 *		1,580
18 *		2,000
20 *		2,470
25 *		3,853
30 *		5,549
35 *		7,550
40 *		9,870
50 *		15,410

**1.4301 Rund blank, geschliffen K-240,
einzeln in Folie verpackt, HL: 3 m.**

Abmessung mm		kg/m
10 *		0,620
HL: 6 m 10 *		0,620
12 *		0,890
HL: 6 m 12 *		0,890
HL: 6 m 14 *		1,210
16 *		1,580
20 *		2,470

Lagerabmessungen sind mit einem * gekennzeichnet.

**1.4301 Rund gew., geschält.
EN 10060/1013, Hl: 4-6 m**

Bezeichnung	kg/m
20 *	2,540
25 *	3,969
30 *	5,716
35 *	7,777
40 *	10,167
45 *	12,855
50 *	15,873
60 *	22,866
70 *	31,117
80 *	40,644
90 *	51,439
100 *	63,500
110 *	78,270
120 *	93,143
130 *	109,314
140 *	120,88
150 *	145,539
160 *	165,592
170 *	178,200
180 *	209,575
190 *	229,248
200 *	254,019

**1.4305 Rund gew., geschält.
EN 10060/1013, Hl: 4-6 m**

Bezeichnung	kg/m
40 *	10,167
45 *	12,855
50 *	15,873
55 *	18,650
60 *	22,866
65 *	26,100
70 *	31,117
80 *	40,644
90 *	51,439
100 *	63,500
110 *	78,270
120 *	93,143
130 *	109,314
140 *	123,090
150 *	145,539
160 *	165,592
170 *	178,200
180 *	209,575
190 *	229,248
200 *	254,019

Lagerabmessungen sind mit einem * gekennzeichnet.

**1.4305 Rund blank
EN 10278, HL: 3 m**

Bezeichnung	kg/m
3 *	0,5500
4 *	0,1020
5 *	0,1540
6 *	0,2290
7 *	0,3020
8 *	0,4070
9 *	0,5000
10 *	0,6355
11 *	0,7460
12 *	0,9150
13 *	1,0420
14 *	1,2442
15 *	1,4290
16 *	1,6260
17 *	1,8360
18 *	2,0000
19 *	2,2260
20 *	2,5400
21 *	2,7140
22 *	3,0800
23 *	3,2610
24 *	3,5510
25 *	3,6960
26 *	4,1690
27 *	4,4950
28 *	4,8340
30 *	5,7160
32 *	6,3130
35 *	7,7770
40 *	10,1670

**1.4305 Rund blank
EN 10278, HL: 3 m**

Bezeichnung	kg/m
45 *	12,8550
50 *	15,8730
60 *	22,8660
70 *	31,1170
80 *	40,6440
90 *	51,4390
100 *	63,5000

Lagerabmessungen sind mit einem * gekennzeichnet.